



envy.

CAPRAL



be envied...

the envy sliding shower

The Envy Sliding Shower has a lot to envy. It's designed for custom installation and is so flexible it can give a touch of sophistication to almost any shower space. Your showers will be nothing short of luxurious whether you opt for our ultra stylish semi-frameless or fully framed enclosure. Whatever your budget, install an Envy Sliding Shower and you can be sure its sleek good looks will be the envy of your friends.

for it's sophistication



◀ Lift flap for shower information

be envied...




the envy sliding shower

The Envy Sliding Shower has a lot to envy. It's designed for custom installation and is so flexible it can give a touch of sophistication to almost any shower space. Your showers will be nothing short of luxurious whether you opt for our ultra stylish semi-frameless or fully framed enclosure. Whatever your budget, install an Envy Sliding Shower and you can be sure its sleek good looks will be the envy of your friends.

for it's sophistication



envy sliding showers



3 Panel Front
Semi Frameless

2 Panel Front
Framed

Corner Entry
Semi Frameless

features and benefits

- Configurations include:
 - Wall to Wall, Single or Double return enclosures in choices of 3 or 2 Panel Fronts, Corner Entry or Bi-Parting Entry.
 - Return panel types include full height, dog leg hob, dog leg - infill and over hob
 - 90° to 135° Returns.
- Heavy Duty hollow head extrusion for large enclosures of 2m wide.
- Narrow frame suits mounting over a bath or a narrow hob.
- High Quality roller assemblies. Feature Stainless Steel ball bearings, axles and adjustment screw.
- Die cast zinc body & Chrome plated ABS plastic cover caps.
- Powder coated and anodised finished frames.

Semi-Frameless Enclosures

- For 6mm Toughened Glass with polished edges.
- Corners without a post.
- Unique 3 Panel front option for small enclosures in confined areas (where 2 Panel sliding or Pivot doors do not fit).
- Magnetic door close on Corner Entry or Return options.
- Sill-Less option. Achievable on 2 panel front showers, includes Corner Entry and Bi-Parting Entry
- Top and bottom door rails are positioned behind the Head and Sill for a 'clean' appearance and to maximise glass area.

Fully Framed Enclosures

- 4, 5 or 6mm thick glass options.
- Adjustable corner post to enable return angles between 90° & 180°.
- Full length handle stile for easy operation and clean appearance.

product specifications

See back of brochure for details on size limitations and examples of configurations.



S/F Frame Corner



Polished Handle Hole



Quality Rollers



Hidden Bottom Rails



Hidden Top Rails



Full length Handle Stile



Minimal Frame



Polished Frame and Components



26mm Handle



Frameless Panel Overlap



Single Roller Track



Sturdy Head Frame

be envied ...for it's

clean lines and innovation

the envy pivot shower

The Envy Pivot Shower takes innovation to a new level. Whatever your budget, the ingenious design makes custom installation easy. So, however big your shower space, you can be sure it's big on style. With a choice of smart semi-frameless or fully framed enclosures, the clean modern lines of the Envy Pivot Shower are sure to add a certain class to any bathroom and inspire envy in all.



be envied ...for it's


clean lines and innovation

the envy pivot shower

The Envy Pivot Shower takes innovation to a new level. Whatever your budget, the ingenious design makes custom installation easy. So, however big your shower space, you can be sure it's big on style. With a choice of smart semi-frameless or fully framed enclosures, the clean modern lines of the Envy Pivot Shower are sure to add a certain class to any bathroom and inspire envy in all.



envy pivot showers



2 Panel Front Framed

2 Panel Front Frameless

features and benefits

- Standard Shower configurations include:
 - Front only.
 - Front with 90° and 135° returns
 - Special shower configurations include:
 - Front with single 135° and 90°
 - Box returns
 - Side entry option also achievable
 - Four "Door Panel" types:
 - Frameless
 - Semi-Frameless with no Stiles
 - Semi-Frameless with Handle Stile
 - Framed
 - Powder coated and anodised finishes.
 - Single panel, two panel and three panel fronts.
 - Return panel types include full height, dog leg hob, dog leg – infill and over hob.
 - Dual Panel Overlap frame options.
- Semi-Frameless Enclosures
- For 6mm toughened glass with polished edges
 - Patch Pivot Offset
 - Inline and overlapping panel options.
- Framed Enclosures
- 4, 5 and 6mm glass options.
 - Adjustable corner post option enabling return angles between 90° and 180°.
 - No Sill option achievable on selected single and 2 panel front showers (Front only and return configurations).
 - Magnetic close available on framed showers.

product specifications

See back of brochure for details on size limitations and examples of configurations.



Framed In-line Pivot



Corner Post



Water Blocking Stile



Full Length Handle Stile



Static Position Open and Close Pivot



Magnetic Close Handle



Frameless Patch Pivot



Innovative Offset Pivot



26mm Door Knob



Sill Pivot Block



Frameless Door



Polished Frame and Hardware

envy sliding shower specifications

Size limitations

Enclosure Height
Minimum: 1000mm
Maximum: 2100mm

2 Panel Front Width
Minimum: 1000mm
Maximum: 2000mm

Corner Entry Widths
Minimum: 800mm
Maximum: 1200mm

Bi-Parting Front Width
Minimum: 1200mm
Maximum: 2000mm

Weight limitations

2nd Door Panel Weight
maximum: 25kg

3rd Door Panel Weight
maximum: 15kg

Estimated Door Panel Glass Weight (kg) guide tables

4mm Glass		Width					
		600	700	800	900	1000	
Height	1800	121	141	161	181	202	
	1850	124	145	166	186	207	
	1900	128	149	170	192	213	
	1950	131	153	175	197	218	
	2000	134	157	179	202	224	
	2050	138	161	184	207	230	
	2100	141	165	188	212	235	

5mm Glass		Width					
		500	600	700	800	900	1000
Height	1800	126	151	176	202	227	252
	1850	130	155	181	207	233	259
	1900	133	160	186	213	239	266
	1950	137	164	191	218	246	273
	2000	140	168	196	224	252	280
	2050	144	172	201	230	258	287
	2100	147	176	206	235	265	294

6mm Glass		Width					
		400	500	600	700	800	900
Height	1800	121	151	181	212	242	272
	1850	124	155	186	218	249	280
	1900	128	160	192	223	255	287
	1950	131	164	197	229	262	295
	2000	134	168	202	235	269	302
	2050	138	172	207	241	276	310
	2100	141	176	212	247	282	318

Colour Key
■ <15kg ■ 15-25kg ■ >25kg

Note: Glazing is recommended to be in accordance with AS1288 extract, Section 5.8 - Bathroom, Ensuite and Spa Room Glazing.

Size limitation tables

The tables indicate the maximum and minimum front sizes (mm) based on the systems limitations.

Semi-frameless or fully-framed with 6mm glass

		2 Panel Front		3 Panel Front		Corner Entry		Bi-Parting	
		Width		Width		Width		Width	
		min	max	min	max	min	max	min	max
Max Height	2100	1000	1417	800	1276	800	1200	1200	1417
	2000	1000	1488	800	1339	800	1200	1200	1488
	1900	1000	1566	800	1410	800	1200	1200	1566
	1800	1000	1653	800	1488	800	1200	1200	1653
	1700	1000	1751	800	1576	800	1200	1200	1751
	1600	1000	1860	800	1674	800	1200	1200	1860
	1500	1000	1984	800	1786	800	1200	1200	1984
Up to	1400	1000	2000	800	1913	800	1200	1200	2000
	1300	1000	2000	800	2000	800	1200	1200	2000

Fully-framed with 5mm glass

		2 Panel Front		3 Panel Front		Corner Entry		Bi-Parting	
		Width		Width		Width		Width	
		min	max	min	max	min	max	min	max
Max Height	2100	1000	1701	800	1531	800	1200	1200	1701
	2000	1000	1786	800	1607	800	1200	1200	1786
	1900	1000	1880	800	1692	800	1200	1200	1880
	1800	1000	1984	800	1786	800	1200	1200	1984
Up to	1700	1000	2000	800	1891	800	1200	1200	2000
	1600	1000	2000	800	2000	800	1200	1200	2000

Fully-framed with 4mm glass

		2 Panel Front		3 Panel Front		Corner Entry		Bi-Parting	
		Width		Width		Width		Width	
		min	max	min	max	min	max	min	max
Max Height	2100	1000	2000	800	1913	800	1200	1200	2000
	2000	1000	2000	800	2000	800	1200	1200	2000
	1900	1000	2000	800	2000	800	1200	1200	2000
Up to	1800	1000	2000	800	2000	800	1200	1200	2000

Configuration examples - front and returns

Shower front can be left or right handed and matched with all return types and angles.

2 Panel Front			
	Wall to Wall	90° Full Height Returns	135° Full Height Returns
3 Panel Front			
	Wall to Wall	Hob Return	Hob Dog Leg Return
Others			
	Obscure Fully-Framed Angles	90° Corner Entry	4 Panel Front

envy pivot shower specifications

Size limitations

Enclosure Height
Maximum: 2100mm

Door Width
Minimum: 680mm (600mm clear opening)
Maximum: 900mm (820mm clear opening)

Side Panel Width
(Fixed glass, jamb and stiles inclusive)
Minimum: 100mm
Maximum: 400mm

Return Panel Width
(Glass, jamb and rail inclusive)
Minimum: 800mm
Maximum: 1200mm

Note: Glazing is recommended to be in accordance with AS1288 extract, Section 5.8 - Bathroom, Ensuite and Spa Room Glazing.

Shower Door Types



Configurations: Standard Shower Options

Legend: Door panel types (DPT) = A, B, C or D
NS = 'No Sill' option achievable on some Fully Framed showers.

		Single Panel	2 Panel	2 Panel (overlap)	3 Panel	3 Panel (Dual Overlap)
Options		DPT	DPT	DPT	DPT	DPT
Front only		A B C D NS		A B C D NS		A B D A D
		A B C D NS		A B C D NS		A B D A D
		A B C D NS		A B C D NS		A B D A D
Front with 90° return (Dog Leg Hob)		A B C D NS		A B C D NS		A B D A D
		A B C D NS		A B C D NS		A B D A D
		A B C D NS		A B C D NS		A B D A D
Front with 135° returns (Full height)		A B C D NS		A B C D NS		A B D A D
		A B C D NS		A B C D NS		A B D A D
		A B C D NS		A B C D NS		A B D A D

Configurations: Standard Shower Options

Legend: Door panel types (DPT) = A, B, C or D
NS = 'No Sill' option achievable on some Fully Framed showers.

		Single Panel	2 Panel	3 Panel
Options		DPT	DPT	DPT
Front with single 135° return (Full height)		A B C D NS		A B D A D
		A B C D NS		A B D A D
		C D NS		D A D
Front with 135° return (Side Entry)		A B C D NS		A B D A D
		A B C D NS		A B D A D
		A B C D NS		A B D A D
Front with 90° returns (Full height & dog leg - infill)		C D NS		D A D



CAPRAL

Capral Limited
ABN 78 004 213 692

www.capral.com.au

1300 366 517